Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	764	(cursor with trigger)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 14:55
L2	266	L1 and cursor adj position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 14:55
L3	11	2 and replay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 14:55
L4	20	("5223828"   "5287102"   "5565888"   "5598183"   "5646647"   "5745100"   "5808604"   "5896123").PN. OR ("6031531"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 15:30
L5	1	L4 and hierarchy	US-PGPUB; USPAT; USOCR	OR .	ON	2007/04/01 15:30
L6	. 17	("4698625"   "4935728"   "5012231"   "5191641"   "5367631"   "5508717"   "5635954"   "5661502"   "5786805"   "5870079"   "5900872"   "6028594"   "6031531"   "6052115"   "6281879"   "6373047").PN. OR ("6583781"). URPN.	US-PGPUB; USPAT; USOCR	OR .	ON	2007/04/01 15:33
L7	. 15	6 and (cursor with (position location))	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 15:33
L8	3	7 and trigger with event	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 15:34
L9	3	7 and trigger with (event action)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 15:34

···	<del></del>		<b>.</b>	<del>Г</del>	<u></u>	
L10	3065	717/124-135.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:35
L11	124	434/116.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 15:35
L12	3188	L10 L11	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 15:35
L13	15	12 and (cursor near2 (location position)) and (trigger with event)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 15:37
L14	0	(cursor near2 location) and accessability with context	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 15:37
L15	0	(cursor near2 location) and accessability with hierarch\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 15:37
L16	0	(cursor near2 location) and accessability with hierarch\$5	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 15:37
L17	0	(cursor near2 location) and accessability same hierarch\$5	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 15:37
L18	3	(cursor near2 location) and accessibility same hierarch\$5	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 15:38
L19		(test\$4 with (software program application)) and (replay\$4 with event) and (event with hierarch\$5) and (cursor with location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/01 15:38
L20	252	accessibility with context	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/01 15:46
L21	14	20 and (software with test\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:51

			•			
L22	22	("20020085037" "20020156799" "20 020178007" "20030210266" "20040 117248" "20040117278" "20040117 279" "20040117370" "20040148568 " "20040158429" "20040218451"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:52
L23	3	22 and trigger	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:51
L24	5	22 and cursor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:52
L25	79	("4622013"   "4789962"   "4901221"   "4947346"   "4964077"   "5103498"   "5175812"   "5204968"   "5239617").PN. OR ("5475843"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON .	2007/04/01 15:56
L26	8	25 and (cursor with (location position))	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 15:56
L27	3	"section 508" and (cursor with focus)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 15:59
L28	2	12 and (cursor with focus)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 16:00
L29	9	(cursor with focus) and ((event action) with trigger) and accessibility	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 16:01
L30	34	(cursor with focus) and ((event action) with trigger) and hierarch\$7	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 16:02
S1	3065	717/124-135.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR , .	ON	2007/03/30 14:39
S2		S1 and (accessibility with context)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 14:41

S3	9	S1 and (section with "508")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 14:41
S4	3	("20040015862"   "20040145607"   "6694509").PN. OR ("6889337"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 14:48
S5	124	434/116.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 14:49
S6	3188	S1 S5	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 14:49
S7	1	S1 and S5	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 15:58
S8	14	"section 508" and (test\$3 with software)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 14:59
S9	0	"Americans with Disabilities"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 14:53
S10	0	"Americans with Disabilities"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 14:53
S11 <sub>.</sub>	728	Americans with Disabilities with act	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/30 14:53
S12		S11 and ((content context component) with hierarch\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 15:25

S13	4	S12 and test	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 14:54
S15	25	S11 and hierarch\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 15:25
S16	16	S15 and testing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 15:25
S17	2193	(cursor near2 position) with determin\$5	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 11:21
S18	1387	S17 and access\$7	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 11:21
S19	53	S17 and access\$7 with context	US-PGPUB; USPAT; USOCR	OR .	ON.	2007/04/01 11:21
S20	2683	(cursor near2 position) with determin\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 11:21
S21	54	S20 and access\$7 with context	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 11:26
S22	. 5	S21 and trigger with cursor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 11:26

S23	14	(regression with testing) and (cursor with trigger)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 11:27
S24	1	((GUI UI (user adj interface)) with testing) and (cursor with trigger)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 11:27
S25	764	(cursor with trigger)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 11:28
S26	266	S25 and cursor adj position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 11:28
S27	457	S25 and cursor near2 position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 11:28
S28	436	S27 and (test\$3 (application software program))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 11:37
S29	5	S28 and (correspond\$4 with event with cursor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/01 11:39

				00		2027/24/24 44 22
S30		"6031531".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/04/01 11:39
S31	20	("5223828"   "5287102"   "5565888"   "5598183"   "5646647"   "5745100"   "5808604"   "5896123").PN. OR ("6031531"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 11:40
S32	1	S31 and hierarchy	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 11:40
S33	17	("4698625"   "4935728"   "5012231"   "5191641"   "5367631"   "5508717"   "5635954"   "5661502"   "5786805"   "5870079"   "5900872"   "6028594"   "6031531"   "6052115"   "6281879"   "6373047").PN. OR ("6583781"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 11:58
S34	0	S33 and hierarchy	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 11:59
S35	4	S33 and trigger	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 11:59
S36	3065	717/124-135.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 12:00
S37	124	434/116.ccls.	US-PGPUB; USPAT; USOCR	OR .	ON	2007/04/01 12:00
S38	3188	S36 S37	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 12:00
S39	93	S38 and (cursor with (trigger position))	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 12:07
S40	4	S38 and (cursor with position) and (cursor with trigger\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 12:06

S41	35	S38 and (cursor with (trigger position)) and trigger	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 12:12
S42	29	("3906454"   "4166290"   "4755808").PN. OR ("5321838"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 12:09
S43	18	(cursor near2 position) and (event with hierarch\$5) same cursor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 12:24
S44	0	S37 and capture with replay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 12:24
S45	4	S37 and replay\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/01 12:24
S46		(test\$4 with (software program application)) and (replay\$4 with event) and (event with hierarch\$5) and (cursor with position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:38
S47	8	(test\$4 with (software program application)) and (replay\$4 with event) and (event with hierarch\$5) and cursor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 12:26
S48	79	("4622013"   "4789962"   "4901221"   "4947346"   "4964077"   "5103498"   "5175812"   "5204968"   "5239617").PN. OR ("5475843"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 12:28